# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 08/06/2014 Date of issue: 07/10/2009

Version: 2.0

SECTION 1: IDENTIFICATION         1.1.       Product Identifier         Product Form: Mixture         Product Name: LESCO® LockUp Extra Plus Fertilizer	
Product Form: Mixture	
Product Name: LESCO <sup>®</sup> LockUp Extra Plus Fertilizer	
Product Code: EPA Registration No.: 62719-588-10404	
Synonyms: Penoxsulam: 2-(2,2-difluoroethoxy)-N-(5,8-dimethoxy {1,2,4}Triazolo[1,5- c]pyrimidin-2-yl)-6-(trifluoromethyl)	
1.2. Intended Use of the Product	
Use of the substance/mixture: Pesticide & Fertiizer	
1.3. Name, Address, and Telephone of the Responsible Party	
Company	
LESCO, Inc.	
1385 East 36th St	
Cleveland, OH 44114	
T: 800-347-4272	
1.4. Emergency Telephone Number	
Emergency Number : 1-800-424-9300	
For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night	
SECTION 2: HAZARDS IDENTIFICATION	
2.1. Classification of the Substance or Mixture	
Classification (GHS-US)	
Skin Irrit. 2 H315	
Eye Irrit. 2A H319	
Skin Sens. 1 H317	
STOT SE 3 H335	
Aquatic Acute 2 H401	
2.2. Label Elements	
GHS-US Labeling	
Hazard Pictograms (GHS-US) :	
•	
GHS07	
Signal Word (GHS-US) : Warning	
Hazard Statements (GHS-US) : H315 - Causes skin irritation.	
H317 - May cause an allergic skin reaction.	
H319 - Causes serious eye irritation.	
H335 - May cause respiratory irritation.	
H401 - Toxic to aquatic life. Precautionary Statements (GHS-US) : P261 - Avoid breathing dust/fume.	
P264 - Wash exposed areas. thoroughly after handling.	
P264 - Wash exposed areas. thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area.	
P264 - Wash exposed areas. thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing must not be allowed out of the workplace.	
P264 - Wash exposed areas. thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing must not be allowed out of the workplace. P273 - Avoid release to the environment.	۱.
<ul> <li>P264 - Wash exposed areas. thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> </ul>	۱.
P264 - Wash exposed areas. thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing must not be allowed out of the workplace. P273 - Avoid release to the environment.	
<ul> <li>P264 - Wash exposed areas. thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protectio</li> <li>P302 + P352 - If on skin: Wash with plenty of water</li> <li>P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a posit</li> </ul>	
<ul> <li>P264 - Wash exposed areas. thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P302 + P352 - If on skin: Wash with plenty of water</li> </ul>	
<ul> <li>P264 - Wash exposed areas. thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P302 + P352 - If on skin: Wash with plenty of water</li> <li>P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a posit comfortable for breathing.</li> </ul>	
<ul> <li>P264 - Wash exposed areas. thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protectio</li> <li>P302 + P352 - If on skin: Wash with plenty of water</li> <li>P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a posit comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.</li> </ul>	
<ul> <li>P264 - Wash exposed areas. thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P302 + P352 - If on skin: Wash with plenty of water</li> <li>P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a posit comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> </ul>	
<ul> <li>P264 - Wash exposed areas. thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P302 + P352 - If on skin: Wash with plenty of water</li> <li>P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a posit comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312 - Call a poison center/doctor if you feel unwell.</li> </ul>	

P337 + P313 - If eye irritation persists: Get medical advice/attention.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P362 - Take off contaminated clothing and wash before reuse.
P362 + P364 - Take off contaminated clothing and wash it before reuse.
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents/container according to local, regional, national, and international regulations.

## 2.3. Other Hazards

**Other Hazards:** This product is not classified as a combustible dust due to the size of the granules, however, if sufficient dust is generated, it can present a combustible dust hazard.

# 2.4. Unknown Acute Toxicity (GHS-US)

No data available

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1. Substance
- Not applicable

# 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Urea	(CAS No) 57-13-6	0.1 - 98	Not classified
Sulfuric acid, dipotassium salt	(CAS No) 7778-80-5	0.1 - 95	Not classified
Diammonium phosphate	(CAS No) 7783-28-0	0.1 - 95	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335 Aquatic Acute 3, H402
Potassium chloride	(CAS No) 7447-40-7	0.1 - 95	Aquatic Acute 3, H402
Monoammonium phosphate	(CAS No) 7722-76-1	0.1 - 95	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
Ammonium sulfate	(CAS No) 7783-20-2	0.1 - 95	Aquatic Acute 2, H401
Urea, polymer with formaldehyde	(CAS No) 9011-05-6	0.1 - 95	Not classified
Limestone	(CAS No) 1317-65-3	0.1 - 20	Not classified
Sulfur	(CAS No) 7704-34-9	0.1 - 10	Comb. Dust Flam. Sol. 2, H228 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Aquatic Acute 3, H402
Iron oxide (Fe2O3)	(CAS No) 1309-37-1	0.1 - 10	Not classified
Magnesium sulfate	(CAS No) 7487-88-9	0.1 - 10	Skin Sens. 1, H317
Ferrous sulfate	(CAS No) 7720-78-7	0.1 - 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400
Manganese oxide (Mn3O4)	(CAS No) 1317-35-7	0.1 - 10	Not classified
Sulfate of Potash-Magnesia	(CAS No) 14977-37-8	0.1 - 10	Not classified
Carbonic acid, magnesium salt (1:1), mixture with magnesium hydroxide (Mg(OH)2), hydrate	(CAS No) 39409-82-0	0.1 - 10	Not classified
Dicamba	(CAS No) 1918-00-9	<= 0.07	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Penoxsulam	(CAS No) 219714-96-2	<= 0.03	Not classified

Full text of H-phrases: see section 16

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of First Aid Measures

**First-aid Measures General**: If medical advice is needed, have product container or label at hand. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

**First-aid Measures After Inhalation**: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

**First-aid Measures After Skin Contact**: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash skin thoroughly with mild soap and water. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.

**First-aid Measures After Ingestion**: Rinse mouth. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Call a POISON CENTER/doctor/physician if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/Injuries:** Eye irritation. Causes skin irritation. May cause an allergic reaction in sensitive individuals. May cause respiratory irritation.

**Symptoms/Injuries After Inhalation:** Irritating to the respiratory system and mucous membranes. May cause drowsiness or dizziness.

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

## 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Alcohol foam, dry chemical, carbon dioxide, water spray, fog. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use water jet. Use of heavy stream of water may spread fire.

## 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Dust generated from processing may present a dust exploision hazard. Decomposes above 132 °C (270 °F). Under conditions of fire this material may produce: Ammonia. Nitrogen oxides.

**Explosion Hazard:** May form explosive compounds if mixed with: Calcium hypochlorite. Sodium hypochlorite. Nitrates. Nitric acid. Perchloric acid. Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive. **Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

## 5.3. Advice for Firefighters

Firefighting Instructions: Not flammable. Exercise caution when fighting any chemical fire.

**Protection During Firefighting:** Firefighters must use full bunker gear including NIOSH-approved positive-pressure self-contained breathing apparatus to protect against potential hazardous combustion and decomposition products.

**Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures**: Handle in accordance with good industrial hygiene and safety practice. This material becomes slippery when wet. Avoid all eyes and skin contact and do not breathe vapor and mist. Do not allow product to spread into the environment.

## 6.1.1. For Non-emergency Personnel

**Protective Equipment:** Wear suitable protective clothing, gloves and eye/face protection. Use appropriate personal protection equipment (PPE).

Emergency Procedures: Collect as any solid. Ventilate area. Evacuate unnecessary personnel.

## 6.1.2. For Emergency Responders

**Protective Equipment:** Wear suitable protective clothing, gloves and eye/face protection. Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** If possible, stop flow of product. Contain and collect as any solid. Evacuate unnecessary personnel. Ventilate area.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.2. **Environmental Precautions**

Avoid release to the environment. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

#### 6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Methods for Cleaning Up: Recover the product by vacuuming, shovelling or sweeping. Avoid generation of dust during clean-up of spills. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Material may be used if uncontaminated. Clear up spills immediately and dispose of waste safely.

#### 6.4. **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. **Precautions for Safe Handling**

Additional Hazards When Processed: This material becomes slippery when wet.

Precautions for Safe Handling: Wear recommended personal protective equipment. Avoid creating or spreading dust. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume. Use only outdoors or in a well-ventilated area.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Wash hands and forearms thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do no eat, drink or smoke when using this product.

#### Conditions for Safe Storage, Including Any Incompatibilities 7.2.

Storage Conditions: Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Keep container closed when not in use.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

Prohibitions on mixed storage: Store away from: Ammonium nitrate. Refer to Section 10 on Incompatible Materials.

Special Rules on Packaging: Corrosive to copper and its alloys.

#### 7.3. Specific End Use(s)

Fertilizer.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters** 8.1.

Limestone (1317-65-3)		
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m <sup>3</sup>
Iron oxide (Fe2O3) (1309-37-1)		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (TWA) (mg/m³)	5 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )	2500 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m <sup>3</sup>

#### 8.2. **Exposure Controls**

**Appropriate Engineering Controls Personal Protective Equipment** 

- : Ensure all national/local regulations are observed.
- : Gloves. Safety glasses. Protective clothing. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing	: Chemically resistant materials and fabrics.
Hand Protection	: Impermeable protective gloves.
Eye Protection	: Safety glasses.
Skin and Body Protection	: Wear rubber boots. Wear suitable protective clothing.
Respiratory Protection	: Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of dust are expected to exceed exposure limits Wear approved mask.
Environmental Exposure Controls	: Ensure adequate ventilation, especially in confined areas.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other Information	: When using, do not eat, drink or smoke.
SECTION 9: PHYSICAL AND CHEMIC	AL PROPERTIES
9.1. Information on Basic Physica	l and Chemical Properties
Physical State	: Solid
Appearance	: Multi-colored granular mixture
Odor	: Slight pungent
Odor Threshold	: No data available
рН	: No data available
pH solution	: 10 %
Evaporation rate	: No data available
Melting Point	: 212 °C (413.6°F) (Penoxsulam)
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20 °C	: No data available
Relative Density	: No data available
Density	: 56 - 60
Solubility	: Water: Partially
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available

9.2. Other Information No additional information available

# SECTION 10: STABILITY AND REACTIVITY

**10.1 Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

10.2 Chemical Stability: Stable at standard temperature and pressure.

10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

**10.4 Conditions to Avoid:** Protect from moisture. Keep away from heat. Direct sunlight. Extremely high or low temperatures. Sparks, heat, open flame and other sources of ignition.

**10.5** Incompatible Materials: Strong oxidizers. Strong bases.

**10.6** Hazardous Decomposition Products: Under conditions of fire this material may produce: Nitrogen oxides. Ammonia.

Carbon oxides (CO, CO2). Formaldehyde.

# SECTION 11: TOXICOLOGICAL INFORMATION

# **11.1.** Information On Toxicological Effects

Acute Toxicity: Not classified

LESCO <sup>®</sup> LockUp Extra Plus Fertilizer		
LD50 Dermal Rat	mg/kg	
Urea (57-13-6)		
LD50 Oral Rat	8471 mg/kg	
ATE (Oral)	8,471.00 mg/kg body weight	
Sulfuric acid, dipotassium salt (7778-80-5)		
LD50 Oral Rat	6600 mg/kg	
ATE (Oral)	6,600.00 mg/kg body weight	
Diammonium phosphate (7783-28-0)		
LD50 Oral Rat	6500 mg/kg	
LD50 Dermal Rabbit	> 7950 mg/kg	
ATE (Oral)	6,500.00 mg/kg body weight	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potassium chloride (7447-40-7)	
LD50 Oral Rat	2600 mg/kg
ATE (Oral)	2,600.00 mg/kg body weight
Monoammonium phosphate (7722-76-1)	
LD50 Oral Rat	5750 mg/kg
LD50 Dermal Rabbit	> 7940 mg/kg
ATE (Oral)	5,750.00 mg/kg body weight
Ammonium sulfate (7783-20-2)	
LD50 Oral Rat	> 2000 mg/kg
Sulfur (7704-34-9)	
LD50 Oral Rat	> 3000 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	> 9.23 mg/l/4h
Iron oxide (Fe2O3) (1309-37-1)	
LD50 Oral Rat	> 10000 mg/kg
Urea, polymer with formaldehyde (9011-05-6)	
LC50 Inhalation Rat	> 167 mg/m <sup>3</sup> (Exposure time: 4 h)
Ferrous sulfate (7720-78-7)	
LD50 Oral Rat	237 mg/kg
ATE (Oral)	237.00 mg/kg body weight
Dicamba (1918-00-9)	
ATE (Oral)	500.00 mg/kg body weight
Skin Corrosion/Irritation: Causes skin irritation.	
Serious Eye Damage/Irritation: Causes serious ey	/e irritation.
Respiratory or Skin Sensitization: May cause an a	Illergic skin reaction.
Germ Cell Mutagenicity: Not classified	
Carcinogenicity: Not classified	
Iron oxide (Fe2O3) (1309-37-1)	
IARC group	3
Reproductive Toxicity: Not classified	
Specific Target Organ Toxicity (Single Exposure):	
Specific Target Organ Toxicity (Repeated Exposu	re): Not classified
Aspiration Hazard: Not classified	
Symptoms/Injuries After Inhalation: Irritating to dizziness.	the respiratory system and mucous membranes. May cause drowsiness or
Symptoms/Injuries After Skin Contact: Causes sk	in irritation. May cause an allergic skin reaction

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None known.

# SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity	
Ecology - General	: Harmful to aquatic life with long lasting effects.
Urea (57-13-6)	
LC50 Fish 1	16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)
EC50 Daphnia 1	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Sulfuric acid, dipotassium salt (7778-80-5)	
LC50 Fish 1	653 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
EC50 Daphnia 1	890 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Diammonium phosphate (7783-28-0)	
LC50 Fish 1	26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC 50 Fish 2	24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potassium chloride (7447-40-7)	
LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Ammonium sulfate (7783-20-2)	
LC50 Fish 1	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	14 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
Sulfur (7704-34-9)	
LC50 Fish 1	866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
LC 50 Fish 2	14 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Magnesium sulfate (7487-88-9)	
LC50 Fish 1	2610 - 3080 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	266.4 - 417.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Ferrous sulfate (7720-78-7)	
LC50 Fish 1	925 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])
EC50 Daphnia 1	152 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	0.56 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
EC50 Daphnia 2	6.15 - 9.26 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
12.2. Persistence and Degradability	
LESCO <sup>®</sup> LockUp Extra Plus Fertilizer	
Persistence and Degradability	May cause long-term adverse effects in the environment. This product is water
	soluble and eventually biodegrades into elemental nitrogen. Exess nitrogen and
	nitrates in a body of water will contribute to eutrophication with visible effects such
	as toxic algae bloom.
12.3. Bioaccumulative Potential	
LESCO <sup>®</sup> LockUp Extra Plus Fertilizer	
Bioaccumulative Potential	Not established.
Urea (57-13-6)	
BCF fish 1	< 10
Log Pow	-1.59 (at 25 °C)
Diaman anium nh aonh ata (7702-20-0)	

Diammonium phosphate (7783-28-0)		
BCF fish 1	(no bioaccumulation expected)	
Monoammonium phosphate (7722-76-1)		
BCF fish 1	(no bioaccumulation expected)	
Ammonium sulfate (7783-20-2)		
Log Pow	-5.1 (at 25 °C)	
Dicamba (1918-00-9)		
Log Pow	2.21	

**12.4.** Mobility in Soil No additional information available

# 12.5. Other Adverse Effects

**Other Information** 

: Avoid release to the environment.

# SECTION 13: DISPOSAL CONSIDERATIONS

# **13.1.** Waste treatment methods

**Waste Treatment Methods:** Pesticide: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Or call (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain. Container: Do not reuse bag. Dispose of emptied bag(s) in a sanitary landfill approved for pesticide disposal, or by incineration.

**Additional Information:** Dispose of waste material in accordance with all local, regional, national, and international regulations. **Ecology – Waste Materials:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: TRANSPORT INFORMATION			
<b>14.1 In Accordance with DOT</b> Not regulated for tran	nsport		
14.2 In Accordance with IMDG Not regulated for tran			
14.3 In Accordance with IATA Not regulated for tran	nsport		
SECTION 15: REGULATORY INFORMATION			
15.1 US Federal Regulations			
LESCO <sup>®</sup> LockUp Extra Plus Fertilizer			
EPA TSCA Regulatory Flag	This chemical is a pesticide product registered by the Environmental		
	Protection Agency and is subject to certain labeling requirements		
	under federal pesticide law. These requirements differ from the		
	classification criteria and hazard information required for safety data		
	sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard		
Urea (57-13-6)			
Listed on the United States TSCA (Toxic Substances Contro	al Act) inventory		
Sulfuric acid, dipotassium salt (7778-80-5)			
Listed on the United States TSCA (Toxic Substances Contro	bl Act) inventory		
Diammonium phosphate (7783-28-0)			
Listed on the United States TSCA (Toxic Substances Contro	al Act) inventory		
Potassium chloride (7447-40-7)			
Listed on the United States TSCA (Toxic Substances Contro	al Act) inventory		
,			
Monoammonium phosphate (7722-76-1)	al Act) inventory		
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Ammonium sulfate (7783-20-2) Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Sulfur (7704-34-9) Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Linestone (1317-65-3)			
Listed on the United States TSCA (Toxic Substances Contro	al Act) inventory		
Iron oxide (Fe2O3) (1309-37-1) Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Magnesium sulfate (7487-88-9) Listed on the United States TSCA (Toxic Substances Contro	al Act) inventory		
, , , , , , , , , , , , , , , , , , ,			
Urea, polymer with formaldehyde (9011-05-6) Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Ferrous sulfate (7720-78-7) Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Manganese oxide (Mn3O4) (1317-35-7)	al Act) inventory		
	Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Dicamba (1918-00-9) Listed on SARA Section 313 (Specific toxic chemical listing:			
SARA Section 313 - Emission Reporting	1.0 %		
	1.0 /0		
15.2 US State Regulations			

15.2 OS State Regulations

Ammonium sulfate (7783-20-2)U.S. - Massachusetts - Right To Know ListU.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard ListU.S. - Pennsylvania - RTK (Right to Know) ListSulfur (7704-34-9)U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. Denneylyania DTK (Dight to Know) List
U.S Pennsylvania - RTK (Right to Know) List
Limestone (1317-65-3)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right to Know Hazardous Substance List
U.S Pennsylvania - RTK (Right to Know) List
Iron oxide (Fe2O3) (1309-37-1)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right to Know Hazardous Substance List
U.S Pennsylvania - RTK (Right to Know) List
Ferrous sulfate (7720-78-7)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right to Know Hazardous Substance List
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List
U.S Pennsylvania - RTK (Right to Know) List
Manganese oxide (Mn3O4) (1317-35-7)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right to Know Hazardous Substance List
U.S Pennsylvania - RTK (Right to Know) List
Dicamba (1918-00-9)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right to Know Hazardous Substance List
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List
U.S Pennsylvania - RTK (Right to Know) List
SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

# SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision date** 

: 08/06/2014

**Other Information** 

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

## **GHS Full Text Phrases:**

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Flam. Sol. 2	Flammable solids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H228	Flammable solid
	May form combustible dust concentrations in air
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects
NFPA Health Hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA Fire Hazard NFPA Reactivity	<ul> <li>: 1 - Must be preheated before ignition can occur.</li> <li>: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.</li> </ul>
HMIS III Rating	

•	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 1 Slight Hazard
Physical	: 0 Minimal Hazard
IMPORTANT: The information contained h	nerein is based on available data. However, no warranty is expressed

IMPORTANT: The information contained herein is based on available data. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof; and you should make your investigation to determine safety for the use you contemplate. LESCO makes no warranty of merchantability of fitness for a particular use, nor is there any other express or implied warranty except as may be specifically provided otherwise on product. LESCO, Inc. assumes no responsibility or liability for any incidental or consequential damages whether related to personal injury or property damage, to vendees, users or third parties, caused by the material and LESCO's responsibility is limited to replacement of, or repayment of, the purchase price for the material(s) with respect to which any damages are claimed. All vendees or users assume all risk associated with the use of the material(s).

SDS US (GHS HazCom) - US Only 10 pt 2